JCP Process Document

3 Version 2.89 (OctoberMonth 48dd, 20142)

4
5 Comments to: pmo@jcp.or

Comments to: pmo@jcp.org
 Copyright (c) 1996 - 20142 Oracle America, Inc.

7 CONTENTS

I EXECUTIVE SUMMARY	2
II DEFINITIONS	2
III THE JAVA COMMUNITY PROCESSSM PROGRAM	7
1. GENERAL PROCEDURES	
1.1 EXPERT GROUP TRANSPARENCY	
1.2 EXPERT GROUP MEMBERSHIP	8
1.3 JSR DEADLINES	
1.4 COMPATIBILITY TESTING	
1.5 EXECUTIVE COMMITTEE DUTIES	
1.6 PMO RESPONSE TIMES	
1.7 ESCALATION AND APPEALS	
2. INITIATE A NEW OR REVISED SPECIFICATION	
2.1 INITIATE A JAVA SPECIFICATION REQUEST	
2.2 JSR REVIEW	
2.3 JSR APPROVAL BALLOT	
2.4 FORM THE EXPERT GROUP	
3. DRAFT RELEASES	
3.1 WRITE THE FIRST DRAFT OF THE SPECIFICATION	
3.2 EARLY DRAFT REVIEW	
3.3 PUBLIC REVIEW	
3.4 PUBLIC DRAFT SPECIFICATION APPROVAL BALLOT	
4. FINAL RELEASE	14
4.1 PROPOSED FINAL DRAFT	14
4.2 FINAL APPROVAL BALLOT	
4.3 FINAL RELEASE	
5. MAINTENANCE	16
5.1 MAINTENANCE LEAD RESPONSIBILITIES	
5.2 MAINTENANCE REVIEW	
5.3 MAINTENANCE RELEASE	
6. EXECUTIVE COMMITTEE POLICIES AND PROCEDURES	
6.1 SCOPE	
6.2 MEMBERSHIP	
6.3 EC DUTIES AND RESPONSIBILITIES	
6.4 EC SELECTION PROCESS AND LENGTH OF TERM	
7. EXECUTIVE COMMITTEE JSR BALLOT RULES	
IV APPENDIX A: REVISING THE JCP AND THE JSPA	
V APPENDIX B: TRANSITIONING TO A MERGED EC	21

8 I EXECUTIVE SUMMARY

- 9 The international Java community develops and evolves Java™ technology specifications using the
- 10 Java Community Process (JCP.) The JCP produces high-quality specifications using an inclusive,
- 11 consensus-based approach that produces a Specification, a Reference Implementation (to prove the
- 12 Specification can be implemented,) and a Technology Compatibility Kit (a suite of tests, tools, and
- documentation that is used to test implementations for compliance with the Specification.)
- 14 Experience has shown that the best way to produce a technology specification is to gather a group of
- 15 industry experts who have a deep understanding of the technology in question and for a strong
- 16 technical lead to work with that group to create a first draft. Agreement on the form and content of the
- draft is then built using an iterative process that allows an ever-widening audience to review and
- 18 comment on the document.

29

30

31

32

33

34

35

36

37

38

39

40

41 42

45

- 19 An Executive Committee (EC) representing a cross-section of both major stakeholders and other
- 20 members of the Java community is responsible for approving the passage of Specifications through
- 21 the JCP's various stages and for reconciling discrepancies between Specifications and their
- 22 associated test suites. There are two ECs: one to oversee the Java technologies for the
- 23 desktop/server space (with responsibility for the Java SE™ and Java EE™ Specifications) and the
- 24 other to oversee the Java technologies for the consumer/embedded space (with responsibility for the
- 25 | Java ME™ Specification.) The ECs are considering merging the two bodies into a single one in the
- 26 near future, so newly elected EC members should be aware that their terms may vary from what is
- 27 specified in section 6.4, "EC SELECTION PROCESS AND LENGTH OF TERM"
- 28 There are four major stages in this version of the JCP:
 - 1. **INITIATION**: A Specification targeted at the desktop/server or consumer/embedded space is initiated by one or more Members and approved for development by the responsible EC. A group of experts is formed to assist the Spec Lead with the development of the Specification.
 - 2. **DRAFT RELEASES**: The Expert Group develops the Specification through an iterative process, releasing drafts for public review and comment. After the formal Public Review the EC holds a ballot on whether the JSR should proceed to the Final Release stage.
 - 3. **FINAL RELEASE**: The Spec Lead submits the Specification to the PMO for publication as the Proposed Final Draft. When the RI and TCK are completed, and the RI passes the TCK, the Specification, the RI, and the TCK are submitted to the PMO, which circulates them to the responsible EC for final approval.
 - 4. **MAINTENANCE**: The Specification, Reference Implementation, and Technology Compatibility Kit are updated in response to ongoing requests for clarification, interpretation, enhancements, and revisions. The responsible EC reviews proposed changes to the Specification and indicates which can be carried out immediately and which should be deferred to a new JSR.
- This version of the JCP was developed using the Java Community Process itself by means of JSR 34855, led by Oracle with combinedthe-all -Executive Committee members forming the Expert Group.

II DEFINITIONS

- 46 **Agent**: an individual for example an employee, a contractor, or an officer who is authorized to act on behalf of a company or organization.
- 48 **Appeal Ballot:** The EC ballot to override a first-level decision on a TCK test challenge.
- 49 **Ballot:** See Appeal Ballot, Final Approval Ballot, Final Approval Reconsideration Ballot,
- JSR Approval Ballot, JSR Reconsideration Ballot, JSR Renewal Ballot, JSR Renewal
- 51 Reconsideration Ballot, JSR Withdrawal Ballot, Maintenance Review Ballot, Maintenance

52 53	Renewal Ballot, Maintenance Release Withdrawal Ballot, Public Draft Specification Approval Ballot, Public Draft Specification Reconsideration Ballot, Transfer Ballot.
54 55 56	Contribution Agreement: A legal agreement defining the terms, particularly those concerning the grant of intellectual property rights, under which contributions are made to a project.
57 58 59	Dormant Specification (Dormant): A Specification that the PMO has determined has no assigned Specification Lead or Maintenance Lead, or that is not being actively developed and on which no further development is anticipated.
60 61	Early Draft Review: A 30 to 90 day period during which the public reviews and comments on the draft Specification.
62	Elected Seat: An EC seat filled by the election process described in section 6.4.4.
63 64 65 66 67	Executive Committee (EC) : The Members who guide the evolution of the Java technologies. The EC represents a cross-section of both major stakeholders and other Members of the Java community. EC members are appointed in an annual election process. The EC Policies and Procedures are specified in the EC Standing Rules, which is a separate document.
68 69	Expert: A Member or Member Representative who has expert knowledge and is an active practitioner in the technology covered by the JSR.
70 71	Expert Group (EG) : The group of Experts who develop or make significant revisions to a Specification.
72 73	Final Approval Ballot: The 14-day EC ballot to approve the Final Draft along with its associated RI and TCK.
74 75	Final Approval Reconsideration Ballot: The 14-day EC ballot to reconsider an initial rejection of a Final Draft, RI, and TCK.
76	Final Draft: The final draft of the Specification that will be put forward for EC approval.
77 78	Final Release: The final stage in the JSR development process when the Specification, RI, and TCK have been completed and can be licensed by implementors.
79 80 81	First-Level TCK Appeals Process: The process defined by the Spec Lead that allows implementors of the Specification to appeal one or more tests defined by the Specification's TCK.
82	Issue: an explicit reference to an item defined in an Issue Tracker.
83 84	Issue List: A list of Issues generated from an Issue Tracker, identifying the disposition of each.
85 86	Issue Tracker: A mechanism to allow issues (problems, tasks, comments, or requests for change) to be recorded and tracked by priority, status, owner, or other criteria. The Issue

87 88 89 90	Tracker should permit issues to be identified by states such as open, resolved, and closed and should support the assignment of resolution types such as deferred (postponed to a follow-on release,) fixed (implemented,) challenged (no satisfactory resolution,) and rejected (deemed inappropriate or out of scope.)
91 92	Java Community Process (JCP) : The formal process described in this document for developing or revising Java technology Specifications.
93 94	Java Community Process Member (Member) : A company, organization, or individual that has signed the JSPA and is abiding by its terms.
95 96 97	Java Specification (Specification): A written specification for some aspect of the Java technology. This includes the language, virtual machine, Platform Editions, Profiles, and application programming interfaces.
98 99 100	Java Specification Request (JSR): The document submitted to the PMO by one or more Members to propose the development of a new Specification or significant revision to an existing Specification.
101 102 103	Java Specification Participation Agreement (JSPA): A one-year renewable agreement between Oracle America and a company, organization or individual that allows the latter entities to participate in the Java Community Process.
104 105 106	JCP Website : The website where the public can stay informed about JCP activities, download draft and final Specifications, and follow the progress of Specifications through the JCP.
107 108	JSR Approval Ballot: A two-week EC ballot to determine if the initial JSR submission should be approved
109 110	JSR Reconsideration Ballot: The EC ballot to determine if a revision of an initial JSR submission should be approved.
111 112	JSR Page: Each JSR has a dedicated public web page on the JCP Website where the JSR's history is recorded and where other relevant information about the JSR is published.
113	JSR Renewal Ballot: An EC ballot to confirm that a JSR should continue in its work.
114 115	JSR Renewal Reconsideration Ballot: An EC ballot to determine if a revised JSR should continue its work.
116 117 118	JSR Review: A two- to four-week period (the length to be set at the discretion of the submitter) during which the public can review and comment on a proposed new JSR before the JSR Approval Ballot.
119 120	JSR Withdrawal Ballot : An EC ballot to confirm that a completed JSR that appears to have been abandoned should be withdrawn.
121 122 123	Licensor Name Space: The public class or interface declarations whose names begin with "java", "javax", "com.sun" (or "com.Your name" if You are the Specification Lead) or their equivalents in any subsequent naming convention adopted by Oracle.

124	Maintenance Lead (ML): The Expert responsible for maintaining the Specification.
125 126	Maintenance Lead Member : The individual JCP member who is a Maintenance Lead, or the company or organization that is represented by the Maintenance Lead.
127 128	Maintenance Release: The final stage in the JSR maintenance process when the Specification, RI, and TCK have been updated and can be licensed by implementors.
129 130 131 132	Maintenance Review: A period of at least 30 days prior to finalization of a Maintenance Release when Members and the public consider and comment on the change the Maintenance Lead proposes to include in the release, as identified in the associated Issue List.
133 134	Maintenance Review Ballot : An EC ballot to determine whether the changes and time line proposed by a Maintenance Lead are appropriate for a Maintenance Release.
135 136 137 138	Maintenance Renewal Ballot: a ballot during which EC members vote on whether to permit a Maintenance Lead to extend the deadline for delivery of materials for Maintenance Release, or whether the previous Maintenance Review should be rescinded and the ML be required to start the process again.
139 140	Maintenance Release Withdrawal Ballot : An EC ballot to confirm that a completed Maintenance Release that appears to have been abandoned should be withdrawn.
141 142	Member: See Agent, Java Community Process Member, Member Associate, Member Representative.
143 144	Member Associate: An individual who is associated with a Member organization but is not an Agent of that organization.
145 146	Member Representative: An Agent of a Member company or a Member organization who represents its interests within the JCP.
147 148 149 150	Platform Edition Specification (Platform Edition): A Specification that defines a baseline API set that provides a foundation upon which applications, other APIs, and Profiles can be built. There are currently three Platform Edition Specifications: Java SE, Java EE, and Java ME.
151 152 153 154 155	Profile Specification (Profile): A Specification that references one of the Platform Edition Specifications and zero or more other JCP Specifications (that are not already a part of a Platform Edition Specification.) APIs from the referenced Platform Edition must be included according to the referencing rules set out in that Platform Edition Specification. Other referenced Specifications must be referenced in their entirety.
156 157	Program Management Office (PMO) : The group within Oracle America that is responsible for administering the JCP and chairing the EC.
158 159	Proposed Final Draft : The version of the draft Specification that will be used as the basis for the RI and TCK.
160	Public Draft Specification Approval Ballot : The EC ballot to determine if a draft should

161	proceed after Public Review.
162 163	Public Draft Specification Reconsideration Ballot : The EC ballot to determine if a revised draft should proceed after Public Review.
164 165	Public Review: A 30 to 90 day period when the public can review and comment on the draft Specification.
166	Ratified Seat: An EC seat filled by the ratification process described in section 6.4.3.
167 168	Reference Implementation (RI) : The prototype or "proof of concept" implementation of a Specification.
169	Release: A Final Release or a Maintenance Release
170	Specification: See Java Specification.
171 172 173 174	Specification Lead (Spec Lead) : The Expert responsible for leading the effort to develop or make significant revisions to a Specification and for completing the associated Reference Implementation and Technology Compatibility Kit. A Spec Lead (or the Spec Lead's host company or organization) must be a Java Community Process Member.
175 176 177	Specification Lead Member (Spec Lead Member) : The individual JCP member who is a Spec Lead, or otherwise the company or organization that is represented by the Spec Lead.
178 179 180	Technology Compatibility Kit (TCK) : The suite of tests, tools, and documentation that allows an organization to determine if its implementation is compliant with the Specification.
181 182	Transfer Ballot: The EC ballot to approve transfer of ownership of a Specification, RI, and TCK from one Member to another Member. ¹
183 184	Umbrella Java Specification Request (UJSR): A JSR that defines or revises a Platform Edition or Profile Specification. A UJSR proceeds through the JCP like any other JSR.
185 186	The use of the term day or days in this document refers to calendar days unless otherwise specified.
187 188 189	The use of the words "must", "must not", "required", "shall", "shall not", "should", "should not", "recommended", "may" and "optional" in this document is done in accordance with the IETF's RFC 2119.

¹ Transfer of ownership does not mean transfer of IP rights, only transfer of the right to start again. The new Spec Lead can, however, negotiate a transfer of IP with the old Spec Lead.

III THE JAVA COMMUNITY PROCESS™ PROGRAM 190

1. GENERAL PROCEDURES

1.1 EXPERT GROUP TRANSPARENCY 192

- 193 Each Expert Group is free to use the working style that it finds most productive and appropriate, so
- 194 long as this is compatible with the requirements specified in this document. For example, an EG may
- 195 choose to move forward only when there is general agreement among its members, or by voting on
- 196 issues when there is disagreement.

191

- 197 As specified below, Expert Groups must operate in a transparent manner, enabling the public to
- 198 observe their deliberations and to provide feedback. All feedback must be taken into consideration and
- 199 public responses to such feedback must be provided. EGs must maintain a publicly-accessible
- document archive from which all of their working materials such as source documents, meeting 200
- 201 agendas and minutes, and draft documents can be downloaded. The EC should take the Expert
- 202 Group's transparency record into consideration when voting on its JSR.
- 203 In the initial JSR submission the Spec Lead must specify the transparency mechanisms (for example,
- 204 the communication mechanisms and Issue Tracker) that the Expert Group intends to adopt, and must
- 205 provide the URLs for accessing the chosen collaboration tools. The PMO shall publish this information
- 206 on the JSR Page. The Spec Lead must also provide a pointer to any Terms of Use required to use the
- 207 collaboration tools so that the EC and prospective EG members can judge whether they are
- compatible with the JSPA. 208
- 209 If the EG changes its collaboration tools during the life of the JSR these changes must be reported to
- 210 the PMO, which shall update the relevant information on the JSR Page. Any such changes must
- 211 ensure that previously-published information is incorporated into the new tools.
- 212 When voting to approve a JSR's transition to the next stage. EC members are expected to take into
- 213 consideration the extent to which the Spec Lead is meeting the transparency requirements.
- 214 Spec Leads should be aware of their obligations under the JSPA to license the output of their JSR on
- 215 Fair, Reasonable, and Non Discriminatory terms, and to make certain patent grants. Incorporating
- 216 feedback provided through public email lists or forums without ensuring that the provider has signed
- 217 the JSPA or an equivalent Contribution Agreement may make it impossible to meet these
- 218 requirements or may expose the Spec Lead Member to legal liability.
- 219 The use of *Confidential Information* (as defined in the JSPA) by Expert Groups limits transparency, is
- 220 strongly discouraged, and will be prohibited in a future version of the Process. If the Spec Lead
- 221 intends to permit the use of Confidential Information (such as emails, drafts, or submissions marked
- 222 as Confidential) this must be specified in the initial Java Specification Request.²

1.1.1 PUBLIC COMMUNICATIONS 223

- 224 Expert Groups may choose to keep purely administrative matters private, but all substantive business
- 225 must be performed in a manner that allows the public to observe their work and to respond to it. All
- 226 proceedings, discussions, and working documents must be published, and a mechanism must be
- 227 established to allow the public to provide feedback. One common way of meeting these requirements
- 228 is through the use of mailing lists, but other alternatives such as blogs, Wikis, and discussion forums
- 229 may be preferred. Whatever communication mechanisms are chosen, these must include an archiving
- 230 function so that a record of all communications is preserved. Archives must be readable by the public.3

The EC intends to remove the Confidentiality language from the next version of the JSPA.

³ This should not be interpreted as a requirement that Expert Groups create or maintain audio or video recordings of their

1.1.2 ISSUE TRACKING

- 232 Issues must be tracked through a publicly readable Issue Tracker. The Expert Group may choose to
- 233 use a publicly writable Issue Tracker, thereby permitting the public to log issues directly, or
- 234 alternatively to identify formal comments in some other manner and to enter them into the Issue
- 235 Tracker on behalf of the submitter. Whatever mechanism is used, a publicly-readable audit trail of all
- 236 comments and Issues must be maintained.
- 237 Whenever a Spec Lead or a Maintenance Lead submits materials to the PMO for review or ballot they
- 238 must also provide an Issue List indicating the disposition of all of the Issues that have been logged
- against the JSR. Issues logged late in the review cycle may be deferred for later consideration, and
- 240 Issues that are blatantly off-topic or that appear to have been submitted maliciously or erroneously
- may be ignored.
- 242 In order to enable EC members to judge whether Issues have been adequately addressed, the Issue
- 243 List must make a clear distinction between Issues that are still open. Issues that have been deferred.
- and those that are closed, and must indicate the reason for any change of state.
- The PMO shall publish the Issue List or a pointer to it together with the other materials.
- 246 EC members should review the supplied Issue List and take it into consideration when casting their
- ballot. If they have any reservations or concerns about a 'yes' vote, or if they wish to vote 'no,' they
- should accompany their ballot with comments which reference one or more Issues (perhaps logged by
- them) that they would like to see addressed in the future. EC members should vote 'no' if they believe
- 250 that the Spec Lead or Maintenance Lead has not adequately addressed all Issues including those that
- have been rejected or otherwise closed by the Expert Group.

1.1.3 CHANGES TO LICENSING TERMS

- 253 As described in Section 2.2.1 below, the proposed licensing terms must be disclosed during JSR
- submission. The Specification license must not be modified after initial submission since to do so
- could invalidate IP grants. It may be necessary, however, to modify the proposed RI or TCK license.
- 256 Any such changes must be disclosed when the Specification is next submitted to the PMO for public
- 257 posting or review.

252

270

271

- 258 For as long as a JSR is licensed and while it is legally possible to do so the Spec Lead Member must
- offer the RI and TCK licenses that were published at the time of Final Release, with the exception that
- 260 reasonable increases in price are permitted. At subsequent Maintenance Releases alternate RI or
- 261 TCK licenses may also be offered so long as all changes are disclosed, but licensees must be free to
- 262 choose the original terms if they wish. For example, existing licensees who do not wish to accept a
- 263 modified license when required to adopt a newer TCK shall have the option to license the updated
- 264 TCK under the previous terms. If a JSR changes hands the new Maintenance Lead Member must
- present a license with terms comparable to, or more favorable to licensees than the existing license.
- When a newer version of a technology is created through a follow-on JSR, the Specification, RI, and
- 267 TCK license terms for the new JSR may differ from those offered for the previous JSR, but any such
- 268 changes must be disclosed during JSR submission. The original terms for the previous JSR must be
- offered for as long as that JSR is licensed.

1.2 EXPERT GROUP MEMBERSHIP

1.2.1 EXPERT GROUP COMPOSITION

272 There is no size limit on the Expert Group. The Spec Lead may add additional Experts at any time so

- 273 long as existing EG members are consulted. New members may be added, for example, to increase
- 274 diversity of opinion.
- 275 Any JCP Member, Member Representative, or Member Associate may request to join an Expert Group
- at any time by submitting their nomination via the online form provided on the JSR Page. Member
- Associates, since they are not covered by the JSPA of their organization, must sign the JSPA in their
- own right before they will be permitted to join an Expert Group.
- 279 Details of such requests, including the organizational affiliation of the requester, together with the Spec
- 280 Lead's official response, substantive deliberations within the EG about the matter, and any other
- official decisions related to EG membership must be published through the EG's public communication
- 282 channel. The PMO will ensure that the JSR Page lists the Members who are members of the EG
- 283 together with the names of individual Member Representatives or Member Associates where
- appropriate.

285

1.2.2 WITHDRAWAL OF AN EXPERT FROM THE EXPERT GROUP

- 286 An Expert may withdraw from the Expert Group at any time. If the withdrawing Expert is the Spec
- Lead, the Expert Group, with the help of the PMO, should approach the Member who originally
- contributed the Expert, if any, and request them to provide a suitable replacement; if no such
- replacement is forthcoming, the Expert Group should choose one of its members as the new Spec
- Lead. If the withdrawing Expert is not the Spec Lead, the Spec Lead should approach the Member
- who originally contributed the Expert, if any, and work with that organization to find a suitable
- 292 replacement. If no replacement is offered or is not otherwise available, the Spec Lead may recruit a
- 293 replacement from amongst other Members.

294 1.2.3 DISRUPTIVE, UNCOOPERATIVE OR UNRESPONSIVE EXPERT GROUP MEMBERS

- 295 There may be rare instances when members of the Expert Group feel that one of their fellow Experts
- 296 is not acting in ways that advance the work of the Expert Group, and is being disruptive.
- 297 uncooperative or unresponsive. EG members are expected to make a reasonable effort to resolve any
- such issues among themselves, with the active help of the Spec Lead. However, if the situation cannot
- be resolved in a timely manner, any three members of the EG can approach the Spec Lead and
- 300 request that the EG member in question be excluded from further participation in the EG. If the Spec
- 301 Lead agrees to the request he can then do so. In the case where the EG Member in question is a
- 302 Member Representative, the Spec Lead must first request that the Member replace its representative.
- 303 If the Member does not do so in a timely manner, the Spec Lead can exclude the Member itself from
- further EG participation. The Spec Lead's decision as to whether or not to exclude can be appealed to
- the EC by following the process outlined in Section 1.7, "Escalation and Appeals"

306 1.2.4 UNRESPONSIVE OR INACTIVE SPEC LEAD

- There may be rare instances when members of the Expert Group feel that the Spec Lead is not acting
- 308 in ways that advance the work of the Expert Group and is being unresponsive or inactive. The EG is
- 309 expected to make a reasonable effort to resolve any such issues in a timely manner. However, if the
- 310 situation cannot be resolved these concerns should be brought to the attention of the EC as quickly as
- possible so they may be proactively addressed and resolved.
- 312 If the problems cannot be resolved informally, any three members of the EG may request the EC to
- 313 replace the Spec Lead. All such requests must clearly state the cause of the concern and provide all
- 314 necessary evidence. If the EC agrees that there is cause, it may ask the PMO to replace the Spec
- Lead. In the case where the Spec Lead is a Member Representative the PMO shall ask the Member to
- replace the Spec Lead. If the Member refuses to do so, the PMO shall seek to put in place an
- 317 alternative Spec Lead, in which case the EC must conduct a transfer ballot as specified in section
- 5.1.2 of this document. If no Spec Lead replacement can be found, the EC shall initiate a JSR

Renewal Ballot to determine whether the JSR should be shut down.

1.3 JSR DEADLINES

320

338

356

- 321 If a JSR does not begin Early Draft Review within 9 months of completing its JSR Approval Ballot, or
- does not begin Public Review within 12 months of first submitting an Early Draft, or does not reach
- 323 Final Release within 12 months of commencing Public Review, then the EC should initiate a JSR
- Renewal Ballot unless it is agreed that there are extraordinary circumstances that justify the delay. The
- 325 PMO shall inform the Spec Lead and Expert Group of this decision and will request the Spec Lead
- 326 and Expert Group to prepare a public statement to the EC. The JSR Renewal Ballot shall start 30 days
- after the request. If the JSR Renewal Ballot is approved by the EC, then another renewal ballot cannot
- 328 be initiated for that JSR for an additional year.
- 329 If the JSR Renewal Ballot fails, the Expert Group will have 30 days to update the JSR in response to
- the concerns raised by the EC, and may submit a revised version to the PMO. If a revised JSR is not
- received by the end of the 30 days, the original decision by the EC shall stand and the JSR shall be
- 332 closed. If a revision is received, then the PMO shall forward it to the EC and initiate a JSR Renewal
- Reconsideration Ballot. At the close of balloting, all comments submitted by EC members, together
- with their ballots shall be circulated to the Expert Group by the PMO. If this ballot fails, the JSR shall
- be closed and the Expert Group shall disband.
- 336 If a JSR that is closed through these processes was a revision to an existing Specification, the Spec
- Lead shall resume the role of Maintenance Lead of the current Specification.

1.4 COMPATIBILITY TESTING

- 339 The Spec Lead is responsible for defining the process whereby the TCK is used to certify
- implementations of the JSR as compatible. The Maintenance Lead must submit to the PMO at least
- 341 quarterly a list of all implementations that have been certified as compatible and that have been
- 342 released publicly or commercially. The PMO will publish this information on the JCP Website. If the
- 343 Spec Lead submits the information in the form of a pointer to an already published list the PMO may
- 344 choose simply to reference that list rather than duplicate it.
- 345 TCK license terms must permit implementors to freely and publicly discuss the testing process and
- detailed TCK test results with all interested parties.

1.5 EXECUTIVE COMMITTEE DUTIES

1.5.1 TRANSPARENCY

- 349 All substantive Executive Committee business should be conducted in the most transparent manner
- 350 possible. EC transparency requirements are specified in a separate document, EC Standing Rules.

1.5.2 DRAFT REVIEWS

- 352 During JSR reviews EC members are strongly encouraged to ensure that one or more technical
- 353 members of their organizations review the draft and provide feedback using the mechanism specified
- 354 by the Spec Lead. EC feedback is particularly important to the Expert Group, and EC members are
- encouraged not to wait until ballot periods to raise concerns and issues.

1.6 PMO RESPONSE TIMES

- 357 Materials to be posted on the JCP Website for review, comment, or any other official EG or EC
- 358 business should be submitted to the PMO, which shall post them on the JCP Website and announce

359 their availability to Members and the public within seven days of receipt (holiday closures excepted.)

1.7 ESCALATION AND APPEALS

- 361 Unless otherwise specified in this document, any EG member can appeal to the EC regarding a
- decision, an action, or inaction by the PMO, a Spec Lead, or a Maintenance Lead that affects EG
- participation or issue-resolution and which cannot be resolved by other reasonable means. An appeal
- must be initiated by sending an email message to the PMO (pmo@icp.org) in all cases, even if it
- affects the PMO itself. The message must describe the issue under appeal clearly and concisely, with
- a short and relevant *subject* line, and must provide all relevant documentation to support the appeal.
- The PMO shall transmit the message to the EC no later than seven days after receipt. The EC shall
- then respond to the appellant within 30 days, either with a resolution or with a request for clarification
- and/or further documentation.

360

370

371

379

380

381

388

2. INITIATE A NEW OR REVISED SPECIFICATION

2.1 INITIATE A JAVA SPECIFICATION REQUEST

- One or more Members may initiate a request to develop a new Specification, or carry out a significant
- 373 revision to an existing one, by submitting a JSR proposal through the JCP Website, as described in
- 374 the Spec Lead Guide. Upon request to the PMO any JSR proposal may be withdrawn by the
- submitter(s) without explanation prior to the completion of the JSR Approval Ballot.
- The following information must be provided with each JSR:
- the Members making the request (the submitters,) the proposed Spec Lead, and the initial members of the Expert Group,
 - a description of the proposed Specification.
 - the reason(s) for developing or revising it,
 - the primary Platform Edition, as well as any consideration given to other Platform Editions,
- an estimated development schedule,
- any preexisting documents, technology descriptions, or implementations that might be used as a starting point,
- a transparency plan, which outlines the tools and techniques that the Spec Lead will use during
 the development of the Specification to communicate with and seek feedback from JCP
 Members and the public.

2.1.1 REVISE EXISTING SPECIFICATIONS

- 389 Existing Specifications, together with their associated RIs and TCKs, are maintained by a designated
- 390 Maintenance Lead using the processes described in section 5 of this document. Maintenance Lead
- 391 Members are expected to assume long term ownership of the Specification, RI, and TCK while
- 392 respecting the wishes of JCP Members with regard to evolution. Maintenance Leads shall therefore be
- 393 the Spec Leads for all significant revisions to their Specifications, but they shall not have the exclusive
- 394 right to decide when a significant revision will take place. That shall be decided by the EC in response
- 395 to a revision JSR that can be initiated by any JCP Member. Submitter(s) should make a reasonable
- effort to recruit members of the previous Expert Group to join any such revision effort.

397 2.1.2 PROTECT THE INSTALLED BASE AND GUARD AGAINST FRAGMENTATION

- 398 Changes to the Java programming language, the Java virtual machine (JVM,) the Java Native
- 399 Interface (JNI,) packages in the "java.*" space, or other packages delivered only as part of Java SE,

- 400 have the potential to seriously disrupt the installed base if carried out inconsistently across the
- 401 Platform Editions. In order to protect the installed base, any such changes can only be accepted and
- 402 carried out within a UJSR for Java SE.
- 403 In order to guard against fragmentation, new Platform Edition Specifications must not substantially
- 404 duplicate existing Platform Editions or Profiles.

405 2.1.3 PROFILES AND API SPECIFICATIONS TARGET CURRENT PLATFORM EDITIONS

- 406 All new or revised Specifications must be compatible with the most recent versions of the targeted
- 407 Platform Edition Specifications. In order to achieve this, all UJSRs to define new Profile Specifications
- 408 or revise existing Profile Specifications must reference either the most recent Release version of the
- 409 Platform Edition Specification they are based upon or a newer version of that Specification that is
- 410 under development via an active UJSR.

2.1.4 PLATFORM INCLUSION

- 412 The JSR submission form requires the submitter to state whether the JSR's RI and TCK should be
- 413 delivered as part of a Profile or Platform Edition, in standalone manner, or both. The final decision as
- 414 to whether a specific JSR is included in a Profile or a Platform Edition is made by the Spec Lead and
- 415 Expert Group of the Platform Edition or Profile JSR, and is confirmed by the EC ballots on the relevant
- 416 JSR. If the Spec Lead for the Platform Edition or Profile JSR turns down a request for inclusion then
- 417 the JSR must deliver a standalone RI and TCK.
- 418 Technologies may be incorporated into a Profile or Platform Edition after having been initially delivered
- 419 standalone. A JSR for a new version of an API that proposes to become part of a Profile or Platform
- 420 Edition and is considering discontinuing standalone availability must state the rationale for this change
- 421 and must inform the public of the intention to discontinue the availability of the standalone RI, and TCK
- 422 one JSR submission in advance.

2.2 JSR REVIEW

411

- When a JSR is received, the PMO shall give it a tracking number, assign the JSR to the appropriate
- 425 EC (or to both ECs if so requested by the submitter.) create its JSR Page, announce the proposed
- 426 JSR to the public, and begin JSR Review. Comments on the JSR should be sent to the JSR's public
- 427 feedback communication mechanism. Comments shall be forwarded to the EC for its consideration
- 428 and shall be made available from the JSR Page (similar comments may be consolidated.) Members
- who are interested in joining the Expert Group (should the JSR be approved) should identify
- 430 themselves by submitting a nomination form to the PMO.

431 2.2.1 DISCLOSURE OF LICENSING TERMS

- 432 The Spec Lead Member is responsible for developing the Reference Implementation and Technology
- 433 Compatibility Kit and for licensing them as described in the JSPA. The Spec Lead Member must
- 434 provide the EC with complete copies of the proposed Specification, RI, and TCK licenses no later than
- 435 the start of JSR Review. The licenses shall be published on the JSR page. EC members should
- provide feedback on the terms as an indication of how the community as a whole might react to the
- 437 terms. If EC members believe that the proposed licensing terms are not compatible with the licensing
- 438 guidelines established for use within the JCP, then balloting on the proposed JSR shall be delayed
- 439 until Oracle legal provides an opinion on the matter.

440 2.3 JSR APPROVAL BALLOT

441 After the JSR Review, EC members shall review the JSR and any comments received, and cast their

- ballot to decide if the JSR should be approved.
- 443 If the JSR Approval Ballot fails, the PMO shall send all EC comments to the JSR submitter(s) who may
- revise the JSR and resubmit it within 14 days. If a revised JSR is not received in that time, the original
- 445 EC decision shall stand and the JSR shall be closed. If a revised JSR is received, the PMO shall post
- 446 it to the JSR Page, announce the revised JSR to the public, and send it to all EC members for a JSR
- 447 Reconsideration Ballot. If that ballot fails, the JSR shall be closed.

448 **2.4 FORM THE EXPERT GROUP**

- When a JSR is approved the PMO instructs the identified Spec Lead to form the Expert Group. If the
- 450 Member contributing the Spec Lead withdraws from the JCP before the JSR is approved, the PMO
- shall request the preliminary Expert Group to choose a replacement from among themselves who is
- willing to take on the duties defined in this document.

3. DRAFT RELEASES

3.1 WRITE THE FIRST DRAFT OF THE SPECIFICATION

- The Expert Group should begin work by considering the requirements set forth in the JSR, any
- 456 contributed documents or technology descriptions, comments received during JSR Review and, if this
- 457 is a revision of an existing Specification, the Issue List maintained by the Maintenance Lead (see
- section 5.) Additional input can be obtained from discussions with other Members, industry groups,
- software developers, end-users, and academics. The goal is to define requirements and then write a
- draft Specification suitable for review by the community and the public.
- When the Expert Group decides that the first draft is ready for review, the Spec Lead shall send the
- draft, along with any additional files required for review, to the PMO. The Spec Lead should also
- suggest the length of the Early Draft Review period if the Expert Group feels it should go beyond the
- 464 minimum 30 days.

453

454

- 465 Multiple Early Drafts (and Early Draft Reviews) are encouraged where the Expert Group feels that this
- would be helpful.

467 3.2 EARLY DRAFT REVIEW

- 468 Refinement of the draft Specification begins when the PMO posts it to the JCP Website and
- announces the start of Early Draft Review. The goal of Early Draft Review is to get the draft
- 470 Specification into a form suitable for Public Review as guickly as possible by uncovering and
- 471 correcting major problems with the draft. Early Draft Review is an early-access review, and should
- 472 ideally take place when the Specification still has some unresolved issues. The public's participation in
- 473 Early Draft Review is an important part of the process since in the past, comments from the public
- 474 have raised fundamental architectural and technological issues that have considerably improved some
- 475 Specifications.

476 3.2.1 UPDATING THE DRAFT DURING EARLY DRAFT REVIEW

- 477 If the Expert Group makes major revisions to the draft during Early Draft Review the Spec Lead should
- 478 send the revised draft, along with a synopsis of the changes, to the PMO, which shall publish these
- online and make them available for download by the public.
- 480 After the Early Draft Review period has ended, the Expert Group can make any additional changes to
- 481 the draft it deems necessary in response to comments before submitting the draft to the PMO for the
- 482 next review.

483 **3.3 PUBLIC REVIEW**

- Public Review begins when the PMO posts a new draft Specification on the JCP Website and
- announces its availability for public review and comment.
- 486 The Spec Lead is responsible for ensuring that all comments are read and considered. If those
- 487 comments result in revisions to the draft, and those revisions result in major changes (in the opinion of
- 488 the Expert Group,) then the Spec Lead must send an updated draft (with a summary of the changes)
- 489 to the PMO before the review period ends. The PMO shall post the new draft and the change
- 490 summary on the JCP Website and shall notify the public that the new draft is available.

3.4 PUBLIC DRAFT SPECIFICATION APPROVAL BALLOT

- 492 The Public Draft Specification Approval Ballot starts when the Public Review closes. At the close of
- balloting, all comments submitted by EC members with their ballots shall be circulated to the Expert
- 494 Group by the PMO.

491

504

517

- 495 If the Public Draft Specification Ballot fails, the Expert Group will have 30 days to update the draft in
- 496 response to the concerns raised by the EC and to submit a revised version to the PMO. If a revised
- draft is not received within 30 days, the original decision by the EC shall stand and the JSR shall be
- 498 closed. If a revision is received, the PMO shall forward it to the EC and initiate a Public Draft
- 499 Specification Reconsideration Ballot. At the close of balloting, all comments submitted by EC members
- with their ballots shall be circulated to the Expert Group by the PMO. If this ballot fails, the JSR shall
- be closed and the Expert Group shall disband. If the JSR was a revision to an existing Specification,
- the Spec Lead shall resume the role of Maintenance Lead of the current Specification (see section 5.)

503 4. FINAL RELEASE

4.1 PROPOSED FINAL DRAFT

- If the Public Draft Specification Approval Ballot (or Reconsideration Ballot) is successful, the Expert
- 506 Group shall prepare the Proposed Final Draft of the Specification by completing any revisions it deems
- 507 necessary in response to comments received. The Spec Lead shall then send the Proposed Final
- 508 Draft to the PMO, which shall post it on the JCP Website for public download.

509 4.1.1 COMPLETE THE RI AND TCK

- 510 The Spec Lead Member is responsible for the completion of both the RI and the TCK. JSRs that are
- 311 assigned to both ECstargeted at more than one platform are required to support botheach
- 512 environments, which may require a separate RI and TCK for each environment. If the RI and TCK
- 513 uncover areas of the Specification that were under-defined, incomplete, or ambiguous, the Spec Lead
- shall work with the Expert Group to correct those deficiencies and then send a revised Specification
- 515 together with a summary of the changes to the PMO. Information shall be posted to the JCP Website.
- 516 The Expert Group shall continue to consider any further comments received during this time.

4.1.2 ESTABLISH A FIRST-LEVEL TCK APPEALS PROCESS

- 518 The Spec Lead is also responsible for establishing a clearly defined First Level TCK Appeals Process
- 519 to address challenges to tests contained in the TCK. This process must be described in the TCK
- 520 documentation. Implementors who are not satisfied with a first level decision should appeal to the EC
- 521 by documenting their concerns in an email message to the PMO. The PMO will circulate the request to
- 522 the EC, together with any information received from the ML concerning the rationale for the first-level
- 523 decision, and initiate a 7-day Appeal Ballot.

524 4.1.3 UPDATE THE DELIVERABLES IN RESPONSE TO THE APPEAL BALLOT

- 525 Depending on the nature of the problem, a successful TCK challenge will require updating one or
- more of the TCK, the Specification, and the RI. Within 30 days of the close of a successful TCK 526
- 527 Appeal Ballot the Maintenance Lead must update these deliverables as necessary and report the
- 528 changes to the PMO when the Specification (if changed) and URLs for the updated RI and/or TCK are
- 529 delivered for publication on the JCP Website.

4.2 FINAL APPROVAL BALLOT

530

537

538

539

540

541

542

543

544

545

546 547

548

549

550

551

552

553

554

555

556

557

- When the Expert Group is satisfied that the TCK provides adequate test coverage, the RI correctly 531
- 532 implements the Specification, and the RI passes the TCK, the Spec Lead shall send the Final Draft of
- 533 the Specification to the PMO together with instructions on how EC members can obtain the RI and
- 534 TCK for evaluation. The PMO shall circulate the materials to the EC and initiate the Final Approval
- 535 Ballot. At the close of balloting, all EC comments shall be sent to the Expert Group by the PMO.
- 536 The TCK submitted as part of the Final Draft must meet the following requirements:
 - Include documentation covering configuration and execution of the TCK, any other information needed to use the TCK (e.g. documentation for any supplied tools,) a definition and explanation of the First-level TCK Appeals Process, and the compatibility requirements that must be met in addition to passing the TCK tests
 - The compatibility requirements at a minimum must specify that all compatible implementations
 - a) fully implement the Spec(s) including all required interfaces and functionality, and
 - b) do not modify, subset, superset, or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented.
 - These requirements must apply unless the Specification or TCK explicitly allows exceptions.
 - Be accompanied by a test harness, scripts or other means to automate the test execution and recording of results.
 - Include a TCK coverage document that will help EC members to evaluate the TCK's quality. This document should include an overview of the documentation included in the TCK, a description of means used to validate the quality of the TCK, the criteria used to measure TCK test coverage of the Specification, test coverage numbers achieved, and a justification for the adequacy of TCK quality and its test coverage.
 - Provide 100% signature test coverage. These tests must ensure that all of the API signatures required by the Specification are completely implemented and that only API signatures required by the Specification are included in the JSR's namespace.
- 558 If the Final Approval Ballot fails, the Spec Lead will have 30 days to revise the Specification, RI, and 559 TCK in response to EC concerns and to resubmit modified materials to the PMO.
- 560 If no responses are received within 30 days the original decision of the EC shall stand, the PMO shall
- 561 close the JSR, and the Expert Group shall disband. If the JSR was a revision to an existing
- 562 Specification, the Spec Lead shall resume the role of Maintenance Lead of the current Specification 563
- (see section 5.)
- 564 If a response is received, the PMO shall circulate it to all EC members for a Final Approval
- 565 Reconsideration Ballot. At the close of balloting, all ballot comments submitted by EC members shall
- 566 be circulated to the Expert Group by the PMO. If the reconsideration ballot fails, the JSR will be closed
- 567 and the Expert Group will disband. If the JSR was a revision to an existing Specification, the Spec

Lead will resume the role of Maintenance Lead of the current Specification.

4.3 FINAL RELEASE

- 570 Within 14 days of a successful Final Approval Ballot or Reconsideration Ballot, the PMO shall publish
- on the JCP Website the Specification and links to information on how to obtain the RI and TCK, and
- shall announce the availability of these materials to both Members and the public. The published TCK
- 573 information must include a means for any interested party to obtain a copy of the TCK documentation
- at no charge. Upon Final Release, the Expert Group will have completed its work and disbands. The
- 575 Spec Lead will typically become the Maintenance Lead and may call upon Expert Group members and
- 576 others for aid in that role.

569

584

585

- 577 The Maintenance Lead must ensure that the links to the RI and TCK remain valid. If the links become
- 578 broken or non-functional the Maintenance Lead will have 30 days following notification from the PMO
- 579 to correct them. If the problems are not corrected the PMO will initiate a JSR Withdrawal Ballot (if no
- 580 Maintenance Release has been completed) or a Maintenance Release Withdrawal Ballot (if a
- Maintenance Release has been made) to determine whether the Maintenance Lead shall be judged to
- have abandoned the JSR. If the ballot passes the JSR itself or the relevant Maintenance Release will
- 583 be marked as withdrawn.

5. MAINTENANCE

5.1 MAINTENANCE LEAD RESPONSIBILITIES

- The Maintenance Lead Member is expected to assume long term ownership of the Specification, RI,
- and TCK while respecting the wishes of the JCP Members with regard to evolution. A Maintenance
- 588 Lead shall therefore automatically be the Spec Lead for all significant future revisions to their
- 589 Specification but shall not have the exclusive right to decide when a significant revision will take place
- 590 (see section 2.1.1.)
- 591 The public may submit requests for clarification, interpretation, and enhancements to the Specification
- 592 by logging issues through the JSR's Issue Tracker.
- 593 The ML shall consider all requests and shall decide how and if the Specification should be updated in
- response. The ML is not required to perform these tasks alone, but is free to consult with the former
- 595 members of the Expert Group, or any other sources, to assist with the Maintenance duties.
- 596 All changes proposed by the ML shall make their way into the Specification either through the
- 597 Maintenance Release process (described below) or through a new JSR. Changes appropriate for a
- 598 Maintenance Release include bug-fixes, clarifications of the Specification, changes to the
- 599 implementation of existing APIs, and implementation-specific enhancements. Changes introduced in
- 600 Maintenance Releases for example, modifications to existing APIs or the addition of new APIs must
- 601 not break binary compatibility as defined by the Java Language Specification. Changes that would
- break binary compatibility should therefore be deferred to a new JSR.

5.1.1 RELINQUISHING OWNERSHIP

- 604 If the Maintenance Lead decides to discontinue his or her work at any time (including discontinuing
- 605 maintenance activities or declining to take on the role of Spec Lead during a significant revision
- initiated by a new JSR) the ML, with the assistance of the PMO, should make a reasonable effort to
- 607 locate another Member who is willing to take on the task. If a replacement is identified the PMO must
- 608 initiate a Transfer Ballot within 30 days to enable EC members to approve the transfer of
- 609 responsibilities. If the ballot succeeds, the new ML must assume his or her responsibilities within 30
- 610 days.

603

- 611 If no replacement can be found, or if the Transfer Ballot fails, then the PMO shall declare the
- Specification to be Dormant and no further maintenance can be carried out. No further Transfer Ballots
- 613 will be initiated by the PMO unless a Member volunteers as ML, in which case the PMO will again
- have 30 days to initiate a Transfer Ballot.

5.2 MAINTENANCE REVIEW

- The Maintenance Lead shall document all proposed Specification changes through the Issue Tracker
- and then send a request to the PMO to initiate a Maintenance Review. This request must be
- 618 accompanied by an Issue List that summarizes all formal comments that have been received and that
- 619 indicates the disposition of each Issue. The Maintenance Lead must also supply a summary of the
- proposed Specification changes, ideally in the form of a diff between the proposed and the current
- Specification. The Maintenance Lead must also provide an estimate of when the final materials for the
- Maintenance Release will be delivered. If no estimate is provided the deadline will default to 30 days.
- The PMO shall post the materials on the JCP Website for public review. The Maintenance Lead may
- 624 choose to modify one or more of the proposed changes based on comments received during the
- 625 review.

630

631

632

633

634

635

636

637

638

643

615

- 626 At the close of the Maintenance Review the PMO shall initiate a 7-day Maintenance Review Ballot.
- During this ballot EC members should vote 'yes' if they agree that the Maintenance Release should
- proceed as the Spec Lead has proposed, and 'no' if they have objections to the proposed release on
- one of the following grounds:
 - One or more of the changes proposed by the Maintenance Lead is inappropriate for a Maintenance Release and should be deferred to a follow-on JSR.
 - An issue that was referenced in a "conditional yes" vote during an earlier development stage
 has not been addressed.
 - The proposed Maintenance Release date is too far in the future. (EC members should bear in mind that many Maintenance Releases need to be synchronized with updates to a Platform, and that a Maintenance Review may therefore need to be carried out significantly in advance of the proposed Platform release.)
 - Unreasonable changes have been made to the RI or TCK licensing terms.
- 'No' votes on other grounds shall be rejected by the PMO and shall be considered as abstentions. All
- 'no' votes must be accompanied by comments explaining the reason for the vote.
- 641 If the ballot fails, the Maintenance Lead may make any necessary corrections before requesting
- another Maintenance Review and ballot. The process may be repeated any number of times.

5.3 MAINTENANCE RELEASE

- After a successful Maintenance Review Ballot the Maintenance Lead will update the Specification, RI,
- 645 TCK, and Issue List as necessary and submit them to the PMO for publication in a Maintenance
- Release. The PMO verifies that the necessary changes have been made, and publishes the
- Specification, the Issue List, and pointers to the RI and TCK on the JSR Web Page.
- NOTE: until the Maintenance Release stage is reached any proposed changes should be considered
- preliminary and subject to change, and therefore should not be implemented in shipping products.
- 650 If the Maintenance Lead fails to deliver the final materials within the time-period specified at the
- beginning of the Maintenance Review process the PMO shall inform the Maintenance Lead of an
- 652 impending Maintenance Renewal Ballot, and shall request the Maintenance Lead to prepare a public
- statement to the EC that explains the reason for the delay and provides a new deadline. 30 days after
- 654 this request the PMO shall initiate a Maintenance Renewal Ballot to determine whether the deadline
- 655 may be extended as requested or whether the previous Maintenance Review should be rescinded and

the Maintenance Lead be required to go through another Maintenance Review.

6. EXECUTIVE COMMITTEE POLICIES AND PROCEDURES

658 **6.1 SCOPE**

- The Executive Committee (EC) oversees the development and evolution of the Java technologies
- within the JCP.

673

674

675

676 677

678

679

680

681 682

683 684

685

686

687

688

689

690 691

692

693

694

695

661 **6.2 MEMBERSHIP**

- There are currently two Executive Committees: one responsible for Java ME and one for Java SE and
- 663 EE together. Each EC is composed of 1625 Java Community Process Members. Oracle America, Inc.
- has a permanent voting seat on eachthe EC. (Oracle's representatives must not be a members of the
- PMO.) The ECs_areis led by a non-voting Chair from the Program Management Office.
- No Member may hold more than one seat on the EC. Therefore, Sshould enea Member on the EC
- acquire a majority ownership of another EC member, one of those members must resign his or her
- seat by the effective date of the acquisition.
- NOTE: In the near future the EC intends to merge the two ECs, and modify the number of members
- and possibly their terms of office.

6.3 EC DUTIES AND RESPONSIBILITIES

- 1. Select JSRs for development within the JCP.
 - 2. Review and provide guidance on proposed licensing terms of proposed JSRs.
 - 3. Approve draft Specifications after Public Review.
 - 4. Ensure that publicly expressed issues/concerns with a JSR are addressed by the Expert Group.
 - 5. Give final approval to completed Specifications and their associated RIs and TCKs.
 - 6. Decide appeals of first-level TCK test challenges.
 - 7. Review proposed maintenance revisions and possibly require some to be carried out in a new JSR.
 - 8. Approve the transfer of maintenance duties between Members.
 - 9. Decide when JSRs that have not made sufficient progress through the Process should be withdrawn.
 - 10. Provide guidance to the PMO and JCP community to promote the efficient operation of the organization and to guide the evolution of Java platforms and technologies. Such guidance may be provided by mechanisms such as publishing white papers, reports, or comments as the EC deems appropriate to express the opinions of one or both Executive Committees.
 - 11.Members of the Executive Committee shall be dedicated to the principles of full and open competition, in full compliance with all applicable laws, including all antitrust laws of the United States and other nations and governmental bodies as appropriate. Violations of such laws can result in criminal as well as civil penalties for individuals as well as employers, depending on the jurisdiction. In particular, any discussion related to product pricing, methods or channels of distribution, division of markets or allocation of customers, among other subjects, should be avoided.

6.4 EC SELECTION PROCESS AND LENGTH OF TERM

- 696 | EC members serve threewo-year terms, which are staggered so that a thirdhalf of the seats are up for
- 697 election each year.

- 698 On eachthe EC there are two Ratified Seats for every Elected Seat (currently 10 Ratified Seats and 5
- 699 Elected Seats) (hence 16 Ratified Seats and 8 Elected Seats) plus one permanent seat held by
- 700 Oracle America, Inc.

701 6.4.1 RESIGNATION OF EC SEATS

- FC members may resign their seats at any time during their term.
- 703 | EC members who fail to remain JCP Members forfeit their EC seat.
- | Seats may also be forfeited due to non-attendance at EC meetings, as specified in the EC Standing
- 705 Rules.

727

728

729

730

731 732

733

734

- Vacated seats are normally filled for the remainder of their term by a special election ballot that will be
- held no later than two months after the resignation (unless the resignation is less than six months
- before the next scheduled annual election ballot.) However, EC members may choose not to fill a
- 709 vacated seat in order to facilitate a reduction in the size of the ECs in anticipation of a future merge-
- 710 into a single EC.

711 **6.4.2 ELECTION PROCESSES**

- All JCP Members are eligible to vote in ballots for Ratified and Elected Seats subject to the provision
- that if a Member has majority-ownership of one or more other Members, then that group of Members
- shall collectively have one vote, which shall be cast by the person they designate to be their
- 715 representative for the ballot in question.
- 716 If the PMO has reason to believe that an organization is attempting to influence the outcome of an
- 717 election by instructing its Agents how to vote the PMO should take all necessary corrective actions
- and then report the matter to the EC for approval.
- 719 Annual elections for Ratified and Elected Seats shall be held simultaneously. Voting in these elections
- 720 shall start in the third week of October.
- 721 In the interest of promoting transparency and participation in the election process the PMO shall
- organize teleconferences at which the Members have an opportunity to hear from and to ask
- 723 questions of the candidates. If a suitable venue such as JavaOne is available the PMO shall also
- organize a public meeting with the same purpose.

725 6.4.3 SELECTION PROCESS FOR RATIFIED SEATS

- Members are selected for the Ratified Seats using a ratification ballot which is carried out as follows:
 - The PMO nominates Members to fill the vacant Ratified Seats with due regard for balanced community and regional representation.
 - At its discretion the PMO may choose not to nominate any candidate for a ratified seat, in order to facilitate a reduction in the size of the ECs in anticipation of a future merge into a single EC.
 - Eligible Members will vote to ratify each nominee over a 14-day ballot period.
 - A nominee is ratified by a simple majority of those who cast a vote.
 - If one or more of the nominees are not ratified by the vote, the PMO shall nominate additional Members as needed and hold additional ratification ballots until the vacant seats are filled.

735 6.4.4 SELECTION PROCESS FOR ELECTED SEATS

- 736 Members are selected for the Elected Seats using an open election process that is carried out as follows:
- Four weeks before the voting period the PMO shall post on the public JCP site a complete

- 739 description of all materials that candidates will be expected to provide (e.g. any candidate 740 statements, position papers, etc. that will be posted during the election.)
- 741 • Four weeks before the ballot period the PMO shall accept nominations for a period of 14 days. 742 Any Member may nominate themselves except that Agents of JCP Members cannot run for 743 Elected Seats as individuals and the PMO shall reject such nominations.
 - Eligible Members may vote for as many nominees as there are vacant Elected Seats over a 14-day ballot period.
 - The nominees who receive the most votes shall fill the vacant Elected Seats.
 - If there is only one nominee for an Elected Seat voters shall be given the opportunity to vote "yes" or "no" for that candidate. To be elected, the candidate must obtain a simple majority.
 - If there is no candidate for an elected seat, the ECs may choose to hold this seat open until the next election.
 - Ties shall be decided by following the procedure defined in http://www.ietf.org/rfc/rfc2777.txt and using the calculator provided by W3C in http://www.w3.org/2001/05/rfc2777.

7. EXECUTIVE COMMITTEE JSR BALLOT RULES

744

745

746

747

748

749

750

751

752

753 754

755

756 757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

781

782

783

784

- All JSR ballots shall be conducted electronically and the results made public.
- 2. JSR ballots last 14 days except where noted in this document.
- EC members may cast three types of votes: "yes", "no" and "abstain". Explicit abstentions are strongly discouraged. In the extreme and most undesirable case, an EC member may not vote at all.
- Only "yes" and "no" votes count in determining the result of a JSR ballot.
- Any vote may be accompanied by comments (which are are particularly encouraged in the case of abstentions.) When comments include specific suggestions for change these should be logged in the Issue Tracker to ensure that they are addressed. "No" votes must be accompanied by references to the Issue Tracker items (if any) that if resolved would persuade the member to change the vote to "yes".
- JSR ballots are approved if (a) a majority of the votes cast are "yes" votes, and (b) a minimum of 5 "ves" votes are cast. Ballots are otherwise rejected.
- Ballots to approve UJSRs that define the initial version of a new Platform Edition Specification or JSRs that propose changes to the Java language are approved if (a) at least a two-thirds majority of the votes cast are "yes" votes, (b) a minimum of 5 "yes" votes are cast, and (c) Oracle casts one of the "yes" votes. Ballots are otherwise rejected.
- When a failed JSR ballot results in the closing of a JSR, at least 30 days must pass before the JSR can be re-initiated.
- EC ballots to override a first-level decision on a TCK challenge are approved if (a) at least a two-thirds majority of the votes cast are "yes" votes, and (b) a minimum of 5 "yes" votes are cast.
- 10. When more than one EC is voting on any JSR ballot, the ballot shall be approved only if each EC approves it separately.

IV APPENDIX A: REVISING THE JCP AND THE JSPA

- 779 Revisions to the Java Community Process (this document) and the Java Specification Participation 780 Agreement shall be carried out using the Java Community Process with the following changes:
 - 1. Only EC members can initiate a JSR to revise one of these documents.
 - 2. Each The EC must approve the JSR.
 - 3. The Expert Group consists of both-all ECs members with a member of the PMO as Spec Lead.
- 4. There is no Reference Implementation or Technology Compatibility Kit to be delivered and no 785 TCK appeals process to be defined.

V APPENDIX B: TRANSITIONING TO A MERGED EC 786

- 787 In the previous version (2.8) of this Process Document there were two separate Executive 788 Committees, one for Java ME and one for Java SE and Java EE combined. The single Executive 789 Committee described in this version of the Process Document will be implemented through the 790 following process:
- 791 The 2012 annual elections will be held as defined in JCP 2.8, but candidates will be informed 792 that if they are elected their term will be for only a single year, since all candidates must stand 793 for re-election in 2013.
- 794 Immediately after the 2012 election the two ECs will be merged. Oracle and IBM's second 795 seats will be eliminated, resulting in a single EC with 30 members.
- 796 All subsequent JSR ballots (even for in-progress JSRs) will then be voted on by the merged 797 EC.
- 798 For the 2013 annual elections three Ratified and two Elected Seats will be eliminated, thereby 799 reducing the EC to 25 members. All 25 seats will be up for re-election in 2013.
- Members elected in 2013 will be ranked to determine whether their initial term will be one or 800 two years. The 50% of Ratified and 50% of Elected members who receive the most votes 801 802 will serve an initial two-year term, while all others will serve an initial one year term.
- 803 All members elected in 2014 and subsequently will serve a two-year term.
- 804 For clarity, note that the provisions specified in this version of the Process Document regarding a 805 merged EC will apply to subsequent ballots on all existing JSRs, whether or not the Spec Leads of
- 806 those JSRs chose to adopt this version of the Process Document in its entirety.